



# PRICE GUIDE 2021

# PRICE & SPECIFICATION GUIDE New and improved, this specification guide is your reference for the most important product information.

All dimensions are listed widest point to tallest point(See Below). Dimensions are nominal. Some sizes such as cell density vary by overall unit width and length. For more details on the size and shape of a product, technical shop drawings are provided at order point and available upon request. For more detail, please contact your local sales representative.

Listed SKUs within this catalogue do not include ezoBord colour information. Ensure inclusion of colour selected when ordering to avoid delays.

All products are priced as listed, and without suspension hardware. Recommendations on best hardware for application are available through your local sales representative. Some products may have variation in manufacturing based on mounting or suspension. Specify intended application with order to ensure compatibility.

Custom patterns, shapes, and sizes are always welcome. Please contact customer service for accurate pricing on custom products.

### INDEX

#### CEILINGS

| BAFFLE CLOUDS    |
|------------------|
| CEILING BAFFLE   |
| RAIL LED         |
| RAIL ACOUSTIC    |
| GRID CANOPY      |
| ACOUSTICAL NET   |
| GEO CLOUD        |
| FULL SHEET CLOUD |
| SUMMIT CLOUD     |
|                  |

#### WALLS

| GEO TILE          |
|-------------------|
| V-NOTCH SHEET     |
| WORK ZONE DIVIDER |
| EZO ON EZO        |
| EZOPRINT          |
| PANELS & SHEETS   |

#### OFFICE

| DESK DIVIDERS                   |
|---------------------------------|
| HOODY                           |
| OBI - MOBILE WHITE BOARD SYSTEM |
| SUSPENDED OFFICE                |

| HARDWARE |  |
|----------|--|
|          |  |

| 8 |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |

| <br>22 |
|--------|
| <br>26 |
|        |
| <br>30 |
| <br>32 |
| <br>34 |
|        |

| СС | ONDITION OF SALE, RETURN POLICY & WARRANTY FOR AYRSONICS INC | 50  |
|----|--|-----|
| SP |  | 48  |
|    |  | 40  |
| ц/ |  | 1.6 |
|    | SUSPENDED OFFICE   | 44  |
|    | OBI - MOBILE WHITE BOARD SYSTEM                              | 42  |
|    | HOODY  | 40  |
|    | DESK DIVIDERS  | 36  |

**BACK TO INDEX** 

# **BAFFLE CLOUD**

ezoBord Baffle Clouds are a stylish addition to any ceiling, easy to install, and can be customized through the use of wide array of standard ezoBord colours.

A new generation of ceiling baffles - sound dampening, free-hanging and designed for style. Stylish ezoBord Baffle Clouds are a series of sound absorbing suspended panels that redefine interior open spaces.












Hardware not included. Options listed in hardware guide pages 46-47

#### **STANDARD SHAPES**


CUSTOM SHAPES AVAILABLE

AALTO 






VELDI CODE VEL





VESI CODE VES






Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.




LUNA ROUND CODE LUR



**LUNA SQUARE** 

CODE **LUS** 






#### **BACK TO INDEX**


# **BAFFLE CLOUD**

**CODE BFC-XXX-XXXXXX-XXX** PRODUCT SHAPE WIDTH HEIGHT THICKNESS LENGTH CELL DENSITY

| CODE                | SHAPE       | HEIGHT | CELL DENSITY | THICKNESS   | PRICE               |
|---------------------|-------------|--------|--------------|-------------|---------------------|
| BFC-AAL-XXXX08-0809 | AALTO       | 8"     | 8"           | 9mm (3/8")  | \$ <b>70</b> /sqft  |
| BFC-AAL-XXXX08-0812 | AALTO       | 8"     | 8"           | 12mm (1/2") | \$ <b>90</b> /sqft  |
| BFC-AAL-XXXX12-0809 | AALTO       | 11.5"  | 8"           | 9mm (3/8")  | \$ <b>80</b> /sqft  |
| BFC-AAL-XXXX12-0812 | AALTO       | 11.5"  | 8"           | 12mm (1/2") | \$ <b>103</b> /SQFT |
| BFC-AAL-XXXX12-1209 | AALTO       | 11.5"  | 11.5"        | 9mm (3/8")  | \$ <b>57</b> /sqft  |
| BFC-AAL-XXXX12-1212 | AALTO       | 11.5"  | 11.5"        | 12mm (1/2") | \$ <b>72</b> /sqft  |
| BFC-LUR-XXXX08-0809 | LUNA ROUND  | 8"     | 8"           | 9mm (3/8")  | \$ <b>63</b> /sqft  |
| BFC-LUR-XXXX08-0812 | LUNA ROUND  | 8"     | 8"           | 12mm (1/2") | \$ <b>82</b> /sqft  |
| BFC-LUR-XXXX12-0809 | LUNA ROUND  | 11.5"  | 8"           | 9mm (3/8")  | \$ <b>72</b> /sqft  |
| BFC-LUR-XXXX12-0812 | LUNA ROUND  | 11.5"  | 8"           | 12mm (1/2") | \$ <b>94</b> /sqft  |
| BFC-LUR-XXXX12-1209 | LUNA ROUND  | 11.5"  | 11.5"        | 9mm (3/8")  | \$ <b>52</b> /sqft  |
| BFC-LUR-XXXX12-1212 | LUNA ROUND  | 11.5"  | 11.5"        | 12mm (1/2") | \$ <b>66</b> /sqft  |
| BFC-LUS-XXXX08-0809 | LUNA SQUARE | 8"     | 8"           | 9mm (3/8")  | \$ <b>63</b> /sqft  |
| BFC-LUS-XXXX08-0812 | LUNA SQUARE | 8"     | 8"           | 12mm (1/2") | \$ <b>82</b> /sqft  |
| BFC-LUS-XXXX12-0809 | LUNA SQUARE | 11.5"  | 8"           | 9mm (3/8")  | \$ <b>74</b> /sqft  |
| BFC-LUS-XXXX12-0812 | LUNA SQUARE | 11.5"  | 8"           | 12mm (1/2") | \$ <b>94</b> /sqft  |
| BFC-LUS-XXXX12-1209 | LUNA SQUARE | 11.5"  | 11.5"        | 9mm (3/8")  | \$ <b>52</b> /sqft  |
| BFC-LUS-XXXX12-1212 | LUNA SQUARE | 11.5"  | 11.5"        | 12mm (1/2") | \$ <b>66</b> /sqft  |
| BFC-VEL-XXXX08-0809 | VELDI       | 8"     | 8"           | 9mm (3/8")  | \$ <b>63</b> /sqft  |
| BFC-VEL-XXXX08-0812 | VELDI       | 8"     | 8"           | 12mm (1/2") | \$ <b>82</b> /sqft  |
| BFC-VEL-XXXX12-0809 | VELDI       | 11.5"  | 8"           | 9mm (3/8")  | \$ <b>72</b> /sqft  |
| BFC-VEL-XXXX12-0812 | VELDI       | 11.5"  | 8"           | 12mm (1/2") | \$ <b>94</b> /sqft  |
| BFC-VEL-XXXX12-1209 | VELDI       | 11.5"  | 11.5"        | 9mm (3/8")  | \$ <b>52</b> /sqft  |
| BFC-VEL-XXXX12-1212 | VELDI       | 11.5"  | 11.5"        | 12mm (1/2") | \$ <b>66</b> /sqft  |
| BFC-VES-XXXX08-0809 | VESI        | 8"     | 8"           | 9mm (3/8")  | \$ 70 /sqft         |
| BFC-VES-XXXX08-0812 | VESI        | 8"     | 8"           | 12mm (1/2") | \$ <b>90</b> /sqft  |
| BFC-VES-XXXX12-0809 | VESI        | 11.5"  | 8"           | 9mm (3/8")  | \$ <b>80</b> /sqft  |
| BFC-VES-XXXX12-0812 | VESI        | 11.5"  | 8"           | 12mm (1/2") | \$ <b>103</b> /SQFT |
| BFC-VES-XXXX12-1209 | VESI        | 11.5"  | 11.5"        | 9mm (3/8")  | \$ <b>57</b> /sqft  |
| BFC-VES-XXXX12-1212 | VESI        | 11.5"  | 11.5"        | 12mm (1/2") | \$ <b>72</b> /sqft  |


### INDIVIDUAL BAFFLES





| CODE                     | SHAPE       | HEIGHT | THICKNESS   | PRICE                    |
|--------------------------|-------------|--------|-------------|--------------------------|
| BAF-XXX-XX0812           | REC / FIL   | 7.5"*  | 12mm (1/2") | \$ <b>53</b> /LINEAR FT  |
| BAF-XXX-XX0818           | REC / FIL   | 7.5"*  | 18mm (3/4") | \$ <b>69</b> /LINEAR FT  |
| BAF-XXX-XX0824           | REC / FIL   | 7.5"*  | 24mm (1")   | \$ <b>77</b> /LINEAR FT  |
| BAF-XXX-XX1212           | REC / FIL   | 11.5"* | 12mm (1/2") | \$ <b>63</b> /LINEAR FT  |
| BAF-XXX-XX1218           | REC / FIL   | 11.5"* | 18mm (3/4") | \$ <b>87</b> /LINEAR FT  |
| BAF-XXX-XX1224           | REC / FIL   | 11.5"* | 24mm (1")   | \$ <b>97</b> /LINEAR FT  |
| BAF-XXX-XX1612           | REC / FIL   | 15.5"* | 12mm (1/2") | \$ 72 /LINEAR FT         |
| BAF-XXX-XX1618           | REC / FIL   | 15.5"* | 18mm (3/4") | \$ <b>104</b> /LINEAR FT |
| BAF-XXX-XX1624           | REC / FIL   | 15.5"* | 24mm (1")   | \$ <b>118</b> /LINEAR FT |
| Custom sizes available u | pon request |        |             |                          |

| CODE | BFC-    | ХХХ   | - x x x | ХХХ       |
|------|---------|-------|---------|-----------|
|      |         |       |         |           |
|      | PRODUCT | SHAPE | LENGTH  | THICKNESS |
|      |         |       | HEI     | GHT       |






RAIL LED

poor lighting issues common to open spaces.

#### **BACK TO INDEX**

### CODE B X B - L I T - X X X X 0 3

### PRODUCT






With Rail we are going beyond illumination for interior spaces. True to

our acoustic roots, we incorporate the performance of ezoBord material

to LED technology providing a synergistic relation between acoustics

and lighting as a solution to high-end noise levels, reverberation and






### CEILINGS

# RAIL ACOUSTIC

Rail Unlit is a great solution to control spaces with high indexes of reverberation. Rail Unlit shape optimizes the NRC performance of very room. This product can be used in hospitality and office spaces.

Rail Unlit can be specified in various lengths ranging from 2 feet to 8 feet, and three heights (8,12,16) inches, giving you the possibility to create unique baffle arrays.

In terms of finishes and colours we are introducing our new woodgrain selection (see colours-finishes).




| CODE           | HEIGHT     | THICKNESS  | COLOR          | PRICE                    |
|----------------|------------|------------|----------------|--------------------------|
| BXB-LIT-XX0803 | 8"(203mm)  | 3.1"(79mm) | 15 (9mm color) | \$ <b>262</b> /LINEAR FT |
| BXB-LIT-XX0803 | 8"(203mm)  | 3.1"(79mm) | CUSTOM PRINT   | \$ <b>311</b> /LINEAR FT |
| BXB-LIT-XX1203 | 12"(305mm) | 3.1"(79mm) | 15 (9mm color) | \$ <b>281</b> /LINEAR FT |
| BXB-LIT-XX1203 | 12"(305mm) | 3.1"(79mm) | CUSTOM PRINT   | \$ <b>378</b> /LINEAR FT |
| BXB-LIT-XX1603 | 16"(406mm) | 3.1"(79mm) | 15 (9mm color) | \$ <b>300</b> /LINEAR FT |
| BXB-LIT-XX1603 | 16"(406mm) | 3.1"(79mm) | CUSTOM PRINT   | \$ <b>396</b> /LINEAR FT |
| BXB-BOX-XX0803 | 8"(203mm)  | 3.1"(79mm) | 15 (9mm color) | \$116 /LINEAR FT         |
| BXB-BOX-XX0803 | 8"(203mm)  | 3.1"(79mm) | CUSTOM PRINT   | \$ <b>164</b> /LINEAR FT |
| BXB-BOX-XX1203 | 12"(305mm) | 3.1"(79mm) | 15 (9mm color) | \$ <b>186</b> /LINEAR FT |
| BXB-BOX-XX1203 | 12"(305mm) | 3.1"(79mm) | CUSTOM PRINT   | \$ <b>283</b> /LINEAR FT |
| BXB-BOX-XX1603 | 16"(406mm) | 3.1"(79mm) | 15 (9mm color) | \$ <b>205</b> /LINEAR FT |
| BXB-BOX-XX1603 | 16"(406mm) | 3.1"(79mm) | CUSTOM PRINT   | \$ <b>301</b> /LINEAR FT |

Hardware not included. Options listed in hardware guide pages 46-47

79 mm

**8 in** 203.2 mm 12 in 304.8 mm 16 in 406.4 mm






# **GRID CANOPY**

and duotone colour options.

Suspended ezoBord Grid Canopies Ceiling mounted for both sound absorption and aesthetic purposes, bring room acoustics to an ezoBord Grid Canopies reduce echo and unwanted noise in boardrooms, entirely new level. Control room meeting areas, open plan offices or a variety of public spaces. Grid Canopies reverberation in both monotone assemble in just a few minutes, are super light weight and easy to suspend from any ceiling with several suspension hardware options to choose from.








### Hardware not included. Options listed in hardware guide pages 46-47

#### **STANDARD SHAPES**




KUPI CODE KUP




| CODE                              | SHAPE | HEIGHT | CELL DENSITY | THICKNESS   | COLORS | PRICE               |
|-----------------------------------|-------|--------|--------------|-------------|--------|---------------------|
| GRC-CIT-XXXX06-0809               | CITE  | 5.5"   | 8"           | 9mm (3/8")  | 15     | \$ 68 /sqft         |
| GRC-CIT-XXXX06-0812               | CITE  | 5.5"   | 8"           | 12mm (1/2") | 15     | \$ 88 /sqft         |
| GRC-CIT-XXXX06-1209               | CITE  | 5.5"   | 12"          | 9mm (3/8")  | 15     | \$ <b>47</b> /sqft  |
| GRC-CIT-XXXX06-1212               | CITE  | 5.5"   | 12"          | 12mm (1/2") | 15     | \$ <b>61</b> /sqft  |
| GRC-CIT-XXXX10-0809               | CITE  | 10"    | 8"           | 9mm (3/8")  | 15     | \$ <b>102</b> /sqft |
| GRC-CIT-XXXX10-0812               | CITE  | 10"    | 8"           | 12mm (1/2") | 15     | \$ <b>132</b> /sqft |
| GRC-CIT-XXXX10-1209               | CITE  | 10"    | 12"          | 9mm (3/8")  | 15     | \$ 60 /sqft         |
| GRC-CIT-XXXX10-1212               | CITE  | 10"    | 12"          | 12mm (1/2") | 15     | \$ <b>78</b> /sqft  |
| GRC-KUP-XXXX06-0809               | KUPI  | 5.5"   | 8"           | 9mm (3/8")  | 15     | \$ <b>85</b> /sqft  |
| GRC-KUP-XXXX06-0812               | KUPI  | 5.5"   | 8"           | 12mm (1/2") | 15     | \$ <b>110</b> /sqft |
| GRC-KUP-XXXX06-1209               | KUPI  | 5.5"   | 12"          | 9mm (3/8")  | 15     | \$ 60 /sqft         |
| GRC-KUP-XXXX06-1212               | KUPI  | 5.5"   | 12"          | 12mm (1/2") | 15     | \$ <b>78</b> /sqft  |
| GRC-KUP-XXXX10-0809               | KUPI  | 10"    | 8"           | 9mm (3/8")  | 15     | \$ <b>113</b> /sqft |
| GRC-KUP-XXXX10-0812               | KUPI  | 10"    | 8"           | 12mm (1/2") | 15     | \$ <b>147</b> /sqft |
| GRC-KUP-XXXX10-1209               | KUPI  | 10"    | 12"          | 9mm (3/8")  | 15     | \$ <b>79</b> /sqft  |
| GRC-KUP-XXXX10-1212               | KUPI  | 10"    | 12"          | 12mm (1/2") | 15     | \$ <b>103</b> /sqft |
| Custom sizes available upon requi | oct   |        |              |             |        |                     |

Custom sizes available upon request


| CODE | GRC     |       |              |                | - X X X | X    |
|------|---------|-------|--------------|----------------|---------|------|
|      | PRODUCT | SHAPE | WIDTH<br>LEN | HEIGHT<br>IGTH | DENSITY | NESS |






# **GRID CANOPY**

#### **STANDARD SHAPES**





| $\supset$ |
|-----------|
| R         |
| P         |

**STANDARD SHAPES** 

WAFFLE

CODE WAF


|             |  | CELL DENSITY  | THICKNESS  | COLORS  | PRICE   |
|-------------|--|---|--|---|---|
| RECTANGULAR | 5.5"   | 8"  | 9mm (3/8")   | 15  | \$ <b>56</b> /sqft  |
| RECTANGULAR | 5.5"   | 8"  | 12mm (1/2")  | 15  | \$ 73 /SQFT   |
| RECTANGULAR | 5.5"   | 12"   | 9mm (3/8")   | 15  | \$ 40 /SQFT   |
| RECTANGULAR | 5.5"   | 12"   | 12mm (1/2")  | 15  | \$ <b>52</b> /sqft  |
| RECTANGULAR | 10"  | 8"  | 9mm (3/8")   | 15  | \$ <b>85</b> /sqft  |
| RECTANGULAR | 10"  | 8"  | 12mm (1/2")  | 15  | \$ <b>110</b> /sqft   |
| RECTANGULAR | 10"  | 12"   | 9mm (3/8")   | 15  | \$ <b>59</b> /sqft  |
| RECTANGULAR | 10"  | 12"   | 12mm (1/2")  | 15  | \$ 77 /sqft   |
| TAPERED     | 5.5"   | 8"  | 9mm (3/8")   | 15  | \$ <b>56</b> /sqft  |
| TAPERED     | 5.5"   | 8"  | 12mm (1/2")  | 15  | \$ 73 /sqft   |
| TAPERED     | 5.5"   | 12"   | 9mm (3/8")   | 15  | \$ 40 /sqft   |
| TAPERED     | 5.5"   | 12"   | 12mm (1/2")  | 15  | \$ <b>52</b> /sqft  |
| TAPERED     | 10"  | 8"  | 9mm (3/8")   | 15  | \$ <b>85</b> /sqft  |
| TAPERED     | 10"  | 8"  | 12mm (1/2")  | 15  | \$ 110 /sqft  |
| TAPERED     | 10"  | 12"   | 9mm (3/8")   | 15  | \$ <b>59</b> /sqft  |
| TAPERED     | 10"  | 12"   | 12mm (1/2")  | 15  | \$ <b>77</b> /sqft  |
|             | RECTANGULAR<br>RECTANGULAR<br>RECTANGULAR<br>RECTANGULAR<br>RECTANGULAR<br>RECTANGULAR<br>CTAPERED<br>TAPERED<br>TAPERED<br>TAPERED<br>TAPERED<br>TAPERED<br>TAPERED | RECTANGULAR5.5"RECTANGULAR5.5"RECTANGULAR5.5"RECTANGULAR10"RECTANGULAR10"RECTANGULAR10"RECTANGULAR10"TAPERED5.5"TAPERED5.5"TAPERED5.5"TAPERED5.5"TAPERED10"TAPERED10"TAPERED10"TAPERED10"TAPERED10"TAPERED10" | RECTANGULAR5.5"8"RECTANGULAR5.5"12"RECTANGULAR5.5"12"RECTANGULAR10"8"RECTANGULAR10"8"RECTANGULAR10"12"RECTANGULAR10"12"RECTANGULAR10"12"TAPERED5.5"8"TAPERED5.5"12"TAPERED5.5"12"TAPERED5.5"12"TAPERED10"8"TAPERED10"8"TAPERED10"8"TAPERED10"12" | RECTANGULAR 5.5" 8" 12mm (1/2")   RECTANGULAR 5.5" 12" 9mm (3/8")   RECTANGULAR 5.5" 12" 12mm (1/2")   RECTANGULAR 5.5" 12" 12mm (1/2")   RECTANGULAR 10" 8" 9mm (3/8")   RECTANGULAR 10" 8" 12mm (1/2")   RECTANGULAR 10" 8" 12mm (1/2")   RECTANGULAR 10" 12" 9mm (3/8")   RECTANGULAR 10" 12" 9mm (3/8")   RECTANGULAR 10" 12" 12mm (1/2")   RECTANGULAR 10" 12" 9mm (3/8")   RECTANGULAR 10" 12" 12mm (1/2")   TAPERED 5.5" 8" 9mm (3/8")   TAPERED 5.5" 12" 9mm (3/8")   TAPERED 5.5" 12" 12mm (1/2")   TAPERED 10" 8" 9mm (3/8")   TAPERED 10" 8" 12mm (1/2")   TAPERED 10" 8" 12mm (1/2")   TAPERED 10" 8" | RECTANGULAR 5.5" 8" 12mm (1/2") 15   RECTANGULAR 5.5" 12" 9mm (3/8") 15   RECTANGULAR 5.5" 12" 12mm (1/2") 15   RECTANGULAR 5.5" 12" 12mm (1/2") 15   RECTANGULAR 10" 8" 9mm (3/8") 15   RECTANGULAR 10" 8" 12mm (1/2") 15   RECTANGULAR 10" 8" 12mm (1/2") 15   RECTANGULAR 10" 12" 9mm (3/8") 15   TAPERED 5.5" 12" 12mm (1/2") 15   TAPERED 10" 8" 9mm (3/8") 15 |

| CODE                | SHAPE  | HEIGHT | CELL DENSITY | THICKNESS   | COLORS | PRICE               |
|---------------------|--------|--------|--------------|-------------|--------|---------------------|
| GRC-WAF-XXXX06-0809 | WAFFLE | 5.5"   | 8"           | 9mm (3/8")  | 15     | \$ <b>56</b> /sqft  |
| GRC-WAF-XXXX06-0812 | WAFFLE | 5.5"   | 8"           | 12mm (1/2") | 15     | \$ <b>73</b> /sqft  |
| GRC-WAF-XXXX06-1209 | WAFFLE | 5.5"   | 12"          | 9mm (3/8")  | 15     | \$ <b>40</b> /sqft  |
| GRC-WAF-XXXX06-1212 | WAFFLE | 5.5"   | 12"          | 12mm (1/2") | 15     | \$ <b>52</b> /sqft  |
| GRC-WAF-XXXX10-0809 | WAFFLE | 10"    | 8"           | 9mm (3/8")  | 15     | \$ <b>85</b> /sqft  |
| GRC-WAF-XXXX10-0812 | WAFFLE | 10"    | 8"           | 12mm (1/2") | 15     | \$ <b>110</b> /sqft |
| GRC-WAF-XXXX10-1209 | WAFFLE | 10"    | 12"          | 9mm (3/8")  | 15     | \$ <b>59</b> /sqft  |
| GRC-WAF-XXXX10-1212 | WAFFLE | 10"    | 12"          | 12mm (1/2") | 15     | \$ 77 /SQFT         |

Custom sizes available upon request

Custom sizes available upon request





# ACOUSTICAL NET

ezoBord Acoustical Net canopies are completely customizable, add flow, colour and acoustical balance to open ceiling environments while reducing unwanted noise.

A new generation surface material that absorbs noise and is fully customizable.


Make a statement with ezoBord Acoustical Nets by adding atmosphere and visual interest to offices, restaurants, and other public spaces, while depending on ezoBord's noise reduction capabilities to establish a creative and acoustically effective ceiling scape.



| CODE                | SHAPE  | HEIGHT | CELL DENSITY | THICKNESS   | COLORS | PRICE               |
|---------------------|--------|--------|--------------|-------------|--------|---------------------|
| NET-RUL-XXXX12-0809 | RULLA  | 11.5"* | 8"           | 9mm (3/8")  | 15     | \$ <b>99</b> /sqft  |
| NET-RUL-XXXX12-0812 | RULLA  | 11.5"* | 8"           | 12mm (1/2") | 15     | \$ <b>137</b> /sqft |
| NET-RUL-XXXX18-0809 | RULLA  | 18"**  | 8"           | 9mm (3/8")  | 15     | \$ <b>138</b> /sqft |
| NET-RUL-XXXX18-0812 | RULLA  | 18"**  | 8"           | 12mm (1/2") | 15     | \$ <b>187</b> /sqft |
| NET-KRO-XXXX12-0809 | KROMME | 11.5"* | 8"           | 9mm (3/8")  | 15     | \$ <b>99</b> /sqft  |
| NET-KRO-XXXX12-0812 | KROMME | 11.5"* | 8"           | 12mm (1/2") | 15     | \$ <b>137</b> /sqft |
| NET-KRO-XXXX18-0809 | KROMME | 18"**  | 8"           | 9mm (3/8")  | 15     | \$ <b>138</b> /sqft |
| NET-KRO-XXXX18-0812 | KROMME | 18"**  | 8"           | 12mm (1/2") | 15     | \$ <b>187</b> /sqft |
| NET-GOL-XXXX12-0809 | GOLF   | 11.5"* | 8"           | 9mm (3/8")  | 15     | \$ <b>99</b> /sqft  |
| NET-GOL-XXXX12-0812 | GOLF   | 11.5"* | 8"           | 12mm (1/2") | 15     | \$ <b>137</b> /sqft |
| NET-GOL-XXXX18-0809 | GOLF   | 18"**  | 8"           | 9mm (3/8")  | 15     | \$ <b>138</b> /sqft |
| NET-GOL-XXXX18-0812 | GOLF   | 18"**  | 8"           | 12mm (1/2") | 15     | \$ <b>187</b> /sqft |

Custom sizes available upon request

\*6-12" Undulation \*\*6-18" Undulation







#### **STANDARD SHAPES**

CUSTOM SHAPES AVAILABLE

RULLA CODE RUL **KROMME** CODE KRO











HEIGHT

**CUSTOM** CODE CUS



Pricing for custom nets as quoted. Design limitations in addition to exact locations and dimensions. as irregular shapes.



#### TYPICAL DESIGN LIMITATIONS NOTED:

• Minimum panel height at any point within the unit is 6"; maximum 24", pending overall design.

• ezoBord may recommend 12mm (1/2") thick material specifically to accommodate design and engineering requirements.

• Cell density affects structural integrity and suspension point availability, as well as price. Some designs may require specific cell density. Standard cell density is 8" and custom cell densities may be available depending on net design.

Accommodation for HVAC and other ceiling details is possible and requires

those listed may apply. Custom It is strongly recommended to confirm building code restrictions within nets available with undulation your area. ezoBord and its distributors assumes no liability for inaccurate bottom or top and bottom as well drawings or non compliance of local building code.

#### CEILINGS

# **GEO CLOUD**

wide array of standard colours.

ezoBord Geo Clouds provide an Geo Clouds are available in a wide variety of colours, profiles elegant addition to any open area and shapes with custom shapes and prints also available to fully and can be customized using customize to your installation. Geo Clouds are adjustable to various different geometric shapes and a heights and angles and can be installed from deck, ceilings, drywall, standard T bar suspension systems.





#### Hardware not included. Options listed in hardware guide pages 46-47

#### **STANDARD SHAPES SMALL SIZE**

CIRCLE CODE CIR **width** 31" (787MM) **Length** 31" (787MM)

### DIAMOND CODE **DIA**

**SQUARE** CODE SQR **width** 31" (787.4mm)

**Length** 31" (787.4mm)

Available in 1" height only

### TRAPEZOID CODE TRA

**width** 31" (787.4mm) **Length** 13.42" (340.87mm)

#### STANDARD SHAPES MEDIUM SIZE

CIRCLE CODE CIR

### DIAMOND CODE **DIA**

**width** 4]" (1041.4mm) LENGTH 41" (1041.4mm) Available in 1" height only

SQUARE CODE SQR


**TRAPEZOID** CODE TRA

**width** 41" (1041.4mm) **LENGTH** 4]" (1041.4mm) **width** 4]" (1041.4mm) length 17.75" (450.85mm)

| CODE                        | SIZE    | HEIGHT    |
|-----------------------------|---------|-----------|
| CLD-XXX-XXXXXXXX            | SMALL   | 48mm (2") |
| CLD-XXX-XXXXXXXX            | SMALL   | 48mm (2") |
| CLD-XXX-XXXXXXXX            | MEDIUM  | 48mm (2") |
| CLD-XXX-XXXXXXXX            | MEDIUM  | 48mm (2") |
| Custom sizes available upon | request |           |

Custom sizes available upon request

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.



12mm (1/2")

15

\$ 1236

# FULL SHEET CLOUD

ezoBord Full Sheet Clouds are a A new generation of ceiling Adjustable to various heights and standard ezoBord colours.

stylish addition to any ceiling, easy clouds - sound dampening, free- angles, and installed from deck, to install, and can be customized hanging and designed for style. ceilings, drywall and standard T bar through the use of wide array of Stylish ezoBord Full Sheet Clouds suspension systems. are a series of sound absorbing suspended panels that redefine interior open spaces.

**STANDARD PATTERNS** 

BAMBOO CODE **BAM** 

ORBIT

CODE

FSC-BAM-48 95 01 12

FSC-CHE- 48 95 01 12

FSC-ORB- 48 95 01 12

FSC-CIR-48 95 01 12

FSC-SOL- 48 95 01 12


Custom sizes available upon request

CODE ORB

SOLID

CODE SOL













Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

PATTERN

BAMBOO

CHEVRON


ORBIT

CIRCLE

SOLID

18





| WIDTH         | LENGTH       | THICKNESS | PRICE          |
|---------------|--------------|-----------|----------------|
| 47.5"(1207mm) | 95" (2413mm) | 24mm (1") | \$ <b>1873</b> |
| 47.5"(1207mm) | 95" (2413mm) | 24mm (1") | \$ <b>1873</b> |
| 47.5"(1207mm) | 95" (2413mm) | 24mm (1") | \$ <b>1873</b> |
| 47.5"(1207mm) | 95" (2413mm) | 24mm (1") | \$ <b>1873</b> |
| 47.5"(1207mm) | 95" (2413mm) | 24mm (1") | \$1638         |

### CEILINGS

# SUMMIT

#### **BACK TO INDEX**

#### Where Geometry meets Peak Performance!

The performance of acoustic panels depends on material and geometry.

EzoBord's three-dimensional Summit baffle system proves that bringing the right combination of materials and design-work can lead to astonishing improvements in acoustic performance.

With an incredible acoustic performance of NRC 1.30 (Type A - direct applied), the Summit system perfectly balances high performance acoustics with high design, high-performance treatment options to the acoustic panel market.









Hardware not included. Options listed in hardware guide pages 46-47

**SHAPES** 

CODE SUL




THREE SISTERS CODE THR




ASSINIBOINE CODE ASN

CROWSNEST CODE CRW



| CODE             | SHAPE         | WIDTH | LENGTH | HEIGHT | PRICE          |
|------------------|---------------|-------|--------|--------|----------------|
| SUM-SUL-24960912 | SULPHUR       | 23.5" | 96"    | 9"     | \$ <b>2214</b> |
| SUM-THR-24960912 | THREE SISTERS | 23.5" | 96"    | 9"     | \$ <b>2214</b> |
| SUM-CST-24960912 | CASTLE        | 23.5" | 96"    | 9"     | \$ <b>2214</b> |
| SUM-ASN-24960912 | ASSINIBOINE   | 23.5" | 96"    | 9"     | \$ <b>2214</b> |
| SUM-CRW-24960912 | CROWSNEST     | 23.5" | 96"    | 9"     | \$ <b>2214</b> |
| SUM-YAM-24960912 | YAMNUSKA      | 23.5" | 96"    | 9"     | \$ <b>2214</b> |

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.



X X X - X X X - X X X X X X - X X

CODE

# **GEO TILES**

ezoBord Geo wall tiles are available in a wide array of shapes and sizes that can be easily installed in endless patterns while controlling room acoustics.

A new generation surface material that both absorbs noise and is fully tackable.

ezoBord Geo Tiles allow for endless patterning and are offered in a wide range of colours to be applied in any combination imaginable. Geo Tiles are super light weight and easy to install with optional pressure sensitive ezoTape on virtually any surface.





BOWTIE CODE BOW

SIZES

**width** 6" (152.4mm) **LENGTH** 4.4" (111.76mm)

**width** 12" (304.8mm) LENGTH 8.8" (223.52mm)

**width** 24" (609.6mm)

Straight edge only

CODE CHE SIZES

**CHEVRON** 

**width** 6" (152.4mm)

length 17.6" (447.04mm)

DIAMOND

CODE **DIA** 

SIZES

FAN

**width** 6" (152.4mm) **LENGTH** 3.47" (88.138mm)

LENGTH 6.93" (176.02mm)

**LENGTH** 13.86" (352.04mm)

### CODE ISO

**width** 12" (304.8mm) **LENGTH** 3.5" (88.9mm) **width** 24" (609.6mm)

length 7" (177.8mm)

PROPELLER

CODE PRO

SIZES

**width** 6" (152.4mm) LENGTH 5.6" (142.24mm)

**width** 12" (304.8mm) LENGTH 11.2" (284.48mm)

**width** 24" (609.6mm) **LENGTH** 22.4" (568.96mm)

Straight edge only

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

**width** 6" (152.4mm) **length** 6" (152.4mm)

CODE FAN

**width** 12" (304.8mm) LENGTH 12" (304.8mm)

**width** 24" (609.6mm) LENGTH 24" (609.6mm)

Straight edge only

### PAISLEY

CODE PAI SIZES **width** 6" (152.4mm)

**Length** 4.5" (114.30mm) **width** 9" (228.6mm) LENGTH 12" (304.8mm)

**width** 18" (457.2mm) length 24" (609.6mm)

Straight edge only

PUZZLE CODE PUZ

SIZES

**width** 12" (304.8mm) **Length** 9.92" (251.97mm) **width** 24" (609.6mm) LENGTH 19.84" (503.94)

Straight edge only



**width**12" (304.8mm) **width** 24" (609.6mm)

SIZES

**ISOCELES** 

### SIZES



**width** 5.75" (146.05mm)

LENGTH 2.88" (73.152mm)

**width** 11.5" (292.1mm)

**width** 23" (584.2mm)

LENGTH 11.5" (292.1mm)

**LENGTH** 5.75" (73.152mm)

CODE G W T - X X X - X X X X X X X X

23

#### WALLS

# **GEO TILES**

#### PATTERNS

#### SQUARE

CODE SQR

#### SIZES

**міртн** 5.75" (146.05mm) LENGTH 5.75" (146.05mm)

**width** 11.5" (292.1mm) length 11.5" (292.1mm)

**width** 23" (584.2mm) LENGTH 23" (584.2mm)

### STRIP CODE STR

**width** 24" (609.6mm) length 3" (76.2mm)



SIZES

### TRAPEZOID CODE **TRA** SIZES **width** 6" (152.4mm)

**LENGTH** 2.6" (66.04mm) **width** 12" (304.8mm)

**LENGTH** 5.2" (132.08mm)

**width** 24" (609.6mm) length 10.39" (263.91mm)

TRIANGLE CODE **TRI** 

#### SIZES

**width** 6" (152.4mm) length 5.2" (132.08mm)

**width** 12" (304.8mm) length 10.39" (263.9mm)

**width** 24" (609.6mm) LENGTH 20.78" (527.81mm)

| CODE           | SIZE | CASE | EDGE     | THICKNESS   | COLORS | PRICE          |
|----------------|------|------|----------|-------------|--------|----------------|
| GWT-XXX-06XX09 | 6"   | 16   | STRAIGHT | 9mm (3/8")  | 15     | \$ <b>116</b>  |
| GWT-XXX-06XX12 | 6"   | 16   | STRAIGHT | 12mm (1/2") | 15     | \$ <b>13</b> 4 |
| GWT-XXX-06XX09 | 6"   | 16   | BEVELED  | 9mm (3/8")  | 15     | \$ <b>163</b>  |
| GWT-XXX-06XX12 | 6"   | 16   | BEVELED  | 12mm (1/2") | 15     | \$ <b>181</b>  |
| GWT-XXX-12XX09 | 12"  | 8    | STRAIGHT | 9mm (3/8")  | 15     | \$ <b>191</b>  |
| GWT-XXX-12XX12 | 12"  | 8    | STRAIGHT | 12mm (1/2") | 15     | \$ <b>347</b>  |
| GWT-XXX-12XX09 | 12"  | 8    | BEVELED  | 9mm (3/8")  | 15     | \$ <b>238</b>  |
| GWT-XXX-12XX12 | 12"  | 8    | BEVELED  | 12mm (1/2") | 15     | \$ 394         |
| GWT-XXX-24XX09 | 24"  | 8    | STRAIGHT | 9mm (3/8")  | 15     | \$ 686         |
| GWT-XXX-24XX12 | 24"  | 8    | STRAIGHT | 12mm (1/2") | 15     | \$ <b>965</b>  |
| GWT-XXX-24XX09 | 24"  | 8    | BEVELED  | 9mm (3/8")  | 15     | \$ <b>733</b>  |
| GWT-XXX-24XX12 | 24"  | 8    | BEVELED  | 12mm (1/2") | 15     | \$ 1012        |

\* custom size up to Width 47.5" (1207mm) Length 95" (2413mm)



**BACK TO INDEX** 

### **ENHANCED V-NOTCH GEO TILES**



SQUARE TARGET CODE VTA

**width** 23" (584.2mm) **LENGTH** 23" (584.2mm)

SQUARE STITCH CODE **VST** 

**width** 23" (584.2mm) LENGTH 23" (584.2mm)



CODE **VPL width** 23" (584.2mm) length 23" (584.2mm)

**SQUARE PLAID** 

### CODE **VPI width** 23" (584.2mm)

**SQUARE PICKET** 

**HEXAGON ARROW** CODE **VAR** 

**width** 23" (584.2mm)

**LENGTH** 20" (508mm)

### **HEXAGON INCEPTION** CODE **VIN**

**width** 23" (584.2mm) length 20" (508mm)



**HEXAGON UNION** CODE VUN

**width** 23" (584.2mm) **LENGTH** 20" (508mm)

code **VSK width** 21" (533.4mm) length 12" (304.8)

| CODE             | EDGE     | CASE | THICKNESS   | COLORS | PRICE           |
|------------------|----------|------|-------------|--------|-----------------|
| GWT-VXX-24XX09ST | STRAIGHT | 8    | 9mm (3/8")  | 15     | \$ 9 <b>7</b> 9 |
| GWT-VXX-24XX12ST | STRAIGHT | 8    | 12mm (1/2") | 15     | \$ <b>1276</b>  |
| GWT-VXX-24XX09BE | BEVELED  | 8    | 9mm (3/8")  | 15     | \$ 1029         |
| GWT-VXX-24XX12BE | BEVELED  | 8    | 12mm (1/2") | 15     | \$ 1326         |

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

CODE G W T - X X X - X X X X X X X X

CODE

**SQUARE RISE** 

**width** 23" (584.2mm)

LENGTH 23" (584.2mm)

CODE VRI

PRODUCT

PATTERN WIDTH THICKNESS CODE LENGTH







CODE **VCR width** 23" (584.2mm) LENGTH 23" (584.2mm)



LENGTH 23" (584.2mm)



**DIAMOND STRIKE** 

**HEXAGON SNOWFALL** code **VSN** 

**width** 23" (584.2mm) length 20" (508mm)





# PATTERN V-NOTCH SHEETS

Patterned V notching adds visual depth to ezoBord sheets and brings harmony and control to acoustically demanding spaces.





| CODE             | TIER | THICKNESS   | COLORS | PRICE          |
|------------------|------|-------------|--------|----------------|
| VNO-XXX-XXXXX09  | А    | 9mm (3/8")  | 15     | \$ 875         |
| VNO-XXX-XXXXXX12 | А    | 12mm (1/2") | 15     | \$ 1195        |
| VNO-XXX-XXXXX09  | В    | 9mm (3/8")  | 15     | \$ <b>1057</b> |
| VNO-XXX-XXXXXX12 | В    | 12mm (1/2") | 15     | \$ <b>1378</b> |
| VNO-XXX-XXXXX09  | С    | 9mm (3/8")  | 15     | \$ 1239        |
| VNO-XXX-XXXXXX12 | С    | 12mm (1/2") | 15     | \$ 1560        |

Custom sizes and patterns available on request. Design charges may apply.



CODE **BAW** 



**width** 47.5" (1207mm) **LENGTH** 95" (2413mm)

**width** 23" (584mm) **LENGTH** 95" (2413mm) Sold in Pairs as Shown



PLANK WIDE CODE **PLW** 

**width** 47.5" (1207mm) **LENGTH** 95" (2413mm)

CODE **PIW** 

**width** 47.5" (1207mm) **LENGTH** 95" (2413mm)



**PLANK** 

CODE PLA

**width** 47.5" (1207mm) **LENGTH** 95" (2413mm)

**width** 47.5" (1207mm) **LENGTH** 95" (2413mm)

**STANDARD PATTERN TIER C** 



length 95" (2413mm)

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.


CODE V N O - X X X - X X X X X X X X

CODE

PATTERN WIDTH THICKNESS CODE LENGTH

#### **STANDARD PATTERN TIER B**

PRODUCT



**BRICK LARGE** CODE BRL

**width** 47.5" (1207mm) length 95" (2413mm)



DIAMOND LARGE CODE **DIL** 

**width** 47.5" (1207mm) **Length** 95" (2413mm)



**HEXAGON LARGE** CODE HEL

**width** 47.5" (1207mm) **LENGTH** 95" (2413mm)



**RIBBON** CODE RIB

**width** 47.5" (1207mm) **Length 9**5" (2413mm)



CODE OBL

**width** 23" (584.2mm) LENGTH 46" (1168.4mm) Sold in Sets of Four as Shown



**TRIANGLE LARGE** CODE TRL

**width** 47.5" (1207mm) **Length** 95" (2413mm)



TRIANGLE CODE **TRI width** 47.5" (1207mm) **Length** 95" (2413mm)

# WORK ZONE DIVIDER

ezoBord Work Zone Dividers add privacy, colour and style, making every office space a better place to work in.

Divide space, absorb sound and create visual privacy all in one simple solution...

ezoBord Work Zone Dividers are cut in various shapes and patterns ranging from organic shapes to geometric shapes to cityscapes. A great way to define space quickly and cost effectively.





Hardware not included.

Options listed in hardware guide pages 46-47



BAMBOO

CODE BAM

GALAXY CODE GLX

<u>ہ</u> ہ ° 0

BUBBLE

CODE BUB

LEAF CODE LEA

**CHEVRON** 

CODE CHE

#### **STANDARD PATTERN TIER B**

**STANDARD PATTERN TIER A** 

| 2 |  |   |  |
|---|--|---|--|
| ļ |  |   |  |
| i |  |   |  |
| ļ |  |   |  |
| Ì |  |   |  |
| ļ |  |   |  |
|   |  | - |  |

AZTEC CODE AZT

PIXELATED

CIRCLES

CODE **PXC** 

CIRCLES

PAL

CODE PAL

CODE CIR



DOKUMA

CODE **DOK** 


PIXELATED SQUARES CODE PXS

| CODE           | TIER | WIDTH          | LENGTH       | THICKNESS   | COLORS | PRICE          |
|----------------|------|----------------|--------------|-------------|--------|----------------|
| WZD-XXX-489609 | А    | 47.5" (1207mm) | 95" (2413mm) | 9mm (3/8")  | 15     | \$ <b>875</b>  |
| WZD-XXX-489612 | A    | 47.5" (1207mm) | 95" (2413mm) | 12mm (1/2") | 15     | \$ 1195        |
| WZD-XXX-489609 | В    | 47.5" (1207mm) | 95" (2413mm) | 9mm (3/8")  | 15     | \$ <b>1057</b> |
| WZD-XXX-489612 | В    | 47.5" (1207mm) | 95" (2413mm) | 12mm (1/2") | 15     | \$ <b>1378</b> |

Custom sizes and patterns available on request. Design charges may apply.

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.


**BACK TO INDEX** 




CODE

PRODUCT

WZD-XXX-XXXXXX PATTERN WIDTH THICKNESS LENGTH




#### CUBE CODE CUB



#### DAIRE CODE DAI



DECO CODE DEC




# EZO ON EZO

ezo on ezo gives you style, depth and sound absorption while adding visual appeal, making every office space a better place to work in.


Absorb sound and create visual interest with all in one simple solution...

ezoBord's 'ezo on ezo' product range layers our popular Work Zone Divider patterns on a second layer of contrasting colour ezoBord, creating a 3 dimensional, colourful appearance while adding significant sound absorption in your open space.



#### Hardware not included. Options listed in hardware guide pages 46-47


#### **STANDARD PATTERN TIER A**






CODE GLX

#### **STANDARD PATTERN TIER B**





CLOVER

CODE CLO



LAZER

CODE LZR

TRIANGLE

CODE SMT

CODE ARC






MEDITERRANEAN PIXELATED

CIRCLES CODE MED CODE PXC

SMALL




CODE SQR



**STAR & KNOT** CODE SNK

| CODE         | TIER | WIDTH          | LENGTH       | THICKNESS | COLORS | PRICE          |
|--------------|------|----------------|--------------|-----------|--------|----------------|
| EOE-XXX-4896 | A    | 47.5" (1207mm) | 95" (2413mm) | 18mm      | 15     | \$ 1856        |
| EOE-XXX-4896 | А    | 47.5" (1207mm) | 95" (2413mm) | 24mm      | 15     | \$ <b>2277</b> |
| EOE-XXX-4896 | В    | 47.5" (1207mm) | 95" (2413mm) | 18mm      | 15     | \$ 1936        |
| EOE-XXX-4896 | В    | 47.5" (1207mm) | 95" (2413mm) | 24mm      | 15     | \$ 2523        |
|              |      |                |              |           |        |                |

Custom sizes and patterns available on request, Design charges may apply.



# EZOPRINT

ezoPrint adds depth and texture to any wall, improves acoustical comfort in any space and brings practicality and style to any architectural work. You can transform your environment with prints of favorite building materials, abstract designs or your own brand.


Add visual interest to any wall, while providing acoustic absorption, tackability and modern style. With design options ranging from materials that imitate architectural choices to more abstract or branded options, you can transform your environment.


#### Do you have your own ideas for printing?

Get in touch with us to discuss how we can work together to find a bespoke printed solution for your project.



#### **STANDARD PRINTS**







**SMALL TILES width** 21" (533.4mm) LENGTH 21" (533.4mm) Sold in quantities of 8

### LARGE TILES

**width** 42" (1066.8mm) length 42" (1066.8mm) Sold in quantities of 2


#### **EZOPRINT CUSTOM PRINT**

ezoBord is available in custom print patterns and colours. Product shape may not match that shown. Shape of tiles dependent on pattern selected. Specific colours on coloured sheets may not be available. Classic White ezo material will be used unless otherwise specified. Custom print outcomes will not be guaranteed without printed proof. Please contact your local sales representative or customer service for more information. Extended lead times apply.

| CODE           | CASE | WIDTH            | LENGTH         | THICKNESS   | PRICE          |
|----------------|------|------------------|----------------|-------------|----------------|
| EZP-XXX-212109 | 8    | 21" (533.4mm)    | 21" (533.4mm)  | 9mm (3/8")  | \$ 1504        |
| EZP-XXX-212112 | 8    | 21" (533.4mm)    | 21" (533.4mm)  | 12mm (1/2") | \$ <b>1786</b> |
| EZP-XXX-424209 | 2    | 42" (1066.8mm)   | 42" (1066.8mm) | 9mm (3/8")  | \$ 1391        |
| EZP-XXX-424212 | 2    | 42" (1066.8mm)   | 42" (1066.8mm) | 12mm (1/2") | \$ 1598        |
| EZP-XXX-424209 | 1    | 47.5" (1206.5mm) | 95" (2413mm)   | 9mm (3/8")  | \$ 1203        |
| EZP-XXX-424212 | 1    | 47.5" (1206.5mm) | 95" (2413mm)   | 12mm (1/2") | \$ 1410        |

Custom sizes available upon request

Hardware not included. Options listed in hardware guide pages 46-47



### **FULL SHEETS**


**width** 47.5" (1206.5mm) LENGTH 95" (2413mm) / 107 (2717.8mm)

# **PANELS & SHEETS**


ezoBord Panels are acoustically effective, customizable, decorative and recycled. Easy to install ezoBord panels and our specialized design teams provide top-notch solutions, endless creative possibilities that ensures superior acoustical performance.

ezoBord panels can be manufactured with custom dimensions and surface engraving in addition to available standard sizes, edges and v-notched surfaces.Consult to our design team for custom tailored solutions.





#### **TAC PANELS**



#### CODE

TAC-REC-2448 TAC-REC-2448 For beveled edge, add **\$50** flat rate

#### FULL SHEETS

Size dependant on thickness.

| CODE            | EDGE    | THICKNESS   | COLORS | PRICE         |
|-----------------|---------|-------------|--------|---------------|
| SHE-009-489609  | RAW     | 9mm (3/8")  | 15     | \$ <b>447</b> |
| SHE-012-4810812 | RAW     | 12mm (1/2") | 15     | \$ 653        |
| SHE-SQR-489609  | SQUARED | 9mm (3/8")  | 15     | \$ 512        |
| SHE-SQR-4810812 | SQUARED | 12mm (1/2") | 15     | \$ 718        |
| LAM-018-489618  | SQUARED | 18mm (3/4") | 15     | \$ 1189       |
| LAM-024-4810824 | SQUARED | 24mm (1")   | 15     | \$ 1603       |

#### NOTE

Quick ship sheets available in 9mm (3/8") or 12mm (1/2") only. These do not have finished edges and exact dimensions cannot be confirmed. Usable dimensions of the sheet are guaranteed to be 47.5"x95". To order finished edge sheets cut to size, standard lead time and cut charges may apply.

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

| THICKNESS   | COLORS | PRICE  |
|-------------|--------|--------|
| 9mm (3/8")  | 15     | \$ 153 |
| 12mm (1/2") | 15     | \$ 215 |

Tac panels come pre-taped and ready for installation. Custom sizes and shapes available on request.

| CODE | SHE-    |      |       |  |
|------|---------|------|-------|--|
|      | PRODUCT | EDGE | WIDTH |  |

# **DESK DIVIDERS**

ezoBord Desk Screens are a great way to absorb sound, add privacy, colour and style in any open plan workspace, enhancing speech intelligibility making every office space a better place to work in.


ezoBord desk screens are a welcome addition to any open plan office and are totally customizable for size, shape, hole pattern and colour. They are also available in single or double layer to fit any budget or design. ezoBord desk screens are a great, eco-friendly alternative to fabric-covered desk screens.







Hardware not included. Options listed in hardware guide pages 46-47




**DESK SCREEN** 



| CODE           | HEIGHT           | THICKNESS   | COLORS | PRICE                    |
|----------------|------------------|-------------|--------|--------------------------|
| DSC-CIR-XX1618 | 15.5" (393.7mm)  | 18mm (3/4") | 15     | \$ <b>79</b> /LINEAR FT  |
| DSC-CIR-XX1612 | 15.5" (393.7mm)  | 12mm (1/2") | 15     | \$ 46 /LINEAR FT         |
| DSC-CIR-XX2418 | 23.5" (596.9mm)  | 18mm (3/4") | 15     | \$118 /LINEAR FT         |
| DSC-CIR-XX2412 | 23.5" (596.9mm)) | 12mm (1/2") | 15     | \$ 67 /LINEAR FT         |
| DSC-ELP-XX1618 | 15.5" (393.7mm)  | 18mm (3/4") | 15     | \$69 /LINEAR FT          |
| DSC-ELP-XX1612 | 15.5" (393.7mm)  | 12mm (1/2") | 15     | \$ <b>36</b> /LINEAR FT  |
| DSC-ELP-XX2418 | 23.5" (596.9mm)) | 18mm (3/4") | 15     | \$ <b>103</b> /LINEAR FT |
| DSC-ELP-XX2412 | 23.5" (596.9mm)) | 12mm (1/2") | 15     | \$ <b>54</b> /LINEAR FT  |
| DSC-REC-XX1618 | 15.5" (393.7mm)  | 18mm (3/4") | 15     | \$69 /LINEAR FT          |
| DSC-REC-XX1612 | 15.5" (393.7mm)  | 12mm (1/2") | 15     | \$ <b>36</b> /LINEAR FT  |
| DSC-REC-XX2418 | 23.5" (596.9mm)) | 18mm (3/4") | 15     | \$ <b>103</b> /LINEAR FT |
| DSC-REC-XX2412 | 23.5" (596.9mm)) | 12mm (1/2") | 15     | \$ <b>54</b> /LINEAR FT  |
| DSC-SQR-XX1618 | 15.5" (393.7mm)  | 18mm (3/4") | 15     | \$79 /LINEAR FT          |
| DSC-SQR-XX1612 | 15.5" (393.7mm)  | 12mm (1/2") | 15     | \$ <b>46</b> /LINEAR FT  |
| DSC-SQR-XX2418 | 23.5" (596.9mm)) | 18mm (3/4") | 15     | \$118 /LINEAR FT         |
| DSC-SQR-XX2412 | 23.5" (596.9mm)) | 12mm (1/2") | 15     | \$ <b>67</b> /LINEAR FT  |


Custom sizes available upon request



# **DESK DIVIDERS**

#### **MODESTY SCREEN**


Full height for above and below the desk surface




| CODE           | HEIGHT       | THICKNESS   | COLORS | PRICE                    |
|----------------|--------------|-------------|--------|--------------------------|
| MDS-CRS-XX4018 | 40" (1016mm) | 18mm (3/4") | 15     | \$170 /LINEAR FT         |
| MDS-CRS-XX4012 | 40" (1016mm) | 12mm (1/2") | 15     | \$108 /LINEAR FT         |
| MDS-ELP-XX4018 | 40" (1016mm) | 18mm (3/4") | 15     | \$170 /LINEAR FT         |
| MDS-ELP-XX4012 | 40" (1016mm) | 12mm (1/2") | 15     | \$ <b>108</b> /LINEAR FT |
| MDS-REC-XX4018 | 40" (1016mm) | 18mm (3/4") | 15     | \$170 /LINEAR FT         |
| MDS-REC-XX4012 | 40" (1016mm) | 12mm (1/2") | 15     | \$ <b>108</b> /LINEAR FT |

#### **MODESTY PANEL**

For mounting below the desk surface





CODE M D P - X X X - X X X X X X

PRODUCT

CODE M D S - X X X - X X X X X X


PRODUCT

| CODE           | HEIGHT THICKNESS           | COLORS | PRICE                   |
|----------------|----------------------------|--------|-------------------------|
| MDP-CRS-XX4018 | 23.5"(596.9mm) 18mm (3/4") | 15     | \$85 /LINEAR FT         |
| MDP-CRS-XX4012 | 23.5"(596.9mm) 12mm (1/2") | 15     | \$ <b>54</b> /LINEAR FT |
| MDP-ELP-XX4018 | 23.5"(596.9mm) 18mm (3/4") | 15     | \$85 /LINEAR FT         |
| MDP-ELP-XX4012 | 23.5"(596.9mm) 12mm (1/2") | 15     | \$ <b>54</b> /LINEAR FT |
| MDP-REC-XX4018 | 23.5"(596.9mm) 18mm (3/4") | 15     | \$85 /LINEAR FT         |
| MDP-REC-XX4012 | 23.5"(596.9mm) 12mm (1/2") | 15     | \$ <b>54</b> /LINEAR FT |

ELLIPTICAL


CODE **ELP** 

#### Hardware not included. Options listed in hardware guide pages 46-47



| CODE             | WIDTH | DEPTH            | HEIGHT         | THICKNESS   | COLORS | PRICE             |
|------------------|-------|------------------|----------------|-------------|--------|-------------------|
| STC-XXX-48242412 | 48"   | 23.5"(596.9mm) 2 | 23.5"(596.9mm) | 12mm (1/2") | 15     | \$ <b>889</b> ea  |
| STC-XXX-60242412 | 60"   | 23.5"(596.9mm)   | 23.5"(596.9mm) | 12mm (1/2") | 15     | \$ <b>1006</b> EA |
| STC-XXX-72242412 | 72"   | 23.5"(596.9mm) 2 | 23.5"(596.9mm) | 12mm (1/2") | 15     | \$ <b>1147</b> еа |

#### **RETURN SCREEEN**



| CODE           | DEPTH         | HEIGHT         | THICKNESS   | COLORS | PRICE         |
|----------------|---------------|----------------|-------------|--------|---------------|
| RTS-RND-241618 | 23.5(596.9mm) | 15.5"(393.7mm) | 18mm (3/4") | 15     | \$120         |
| RTS-RND-241612 | 23.5(596.9mm) | 15.5"(393.7mm) | 12mm (1/2") | 15     | \$ <b>72</b>  |
| RTS-RND-242418 | 23.5(596.9mm) | 23.5(596.9mm)  | 18mm (3/4") | 15     | \$ <b>179</b> |
| RTS-RND-242412 | 23.5(596.9mm) | 23.5(596.9mm)  | 12mm (1/2") | 15     | \$108         |
| RTS-RND-301618 | 30" (762mm)   | 15.5"(393.7mm) | 18mm (3/4") | 15     | \$159         |
| RTS-RND-301612 | 30" (762mm)   | 15.5"(393.7mm) | 12mm (1/2") | 15     | \$ <b>96</b>  |
| RTS-RND-302418 | 30" (762mm)   | 23.5(596.9mm)  | 18mm (3/4") | 15     | \$238         |
| RTS-RND-302412 | 30" (762mm)   | 23.5(596.9mm)  | 12mm (1/2") | 15     | \$143         |

#### **BACK TO INDEX**

# HOODY

Instantly transform your open plan office space into individually separated, quiet workspaces with ezoBord's modular Hooded Desk divider system nicknamed "Hoody".

The "Hoody" installs in seconds without the use of any tools and fits onto any new or existing desking/ benching system. Compatible with virtually any manufacturer including all major office furniture brands.

#### CONFIGURATIONS









#### SINGLE HOODY


'Hoody's' can be added in seconds to any fixed height or adjustable height desks. No tools required.

#### LINKED HOODY'S


For fixed height workstations, infinitely link 'Hoody's' together on any fixed height bench system

#### **MULTIPLE INDEPENDENT HOODY'S**


For use with height adjustable desking applications. Configurable in rows or back to back creating left/right and vertical social barriers. Add as many 'Hoody's' as you require.














CODE H D S - X R S - X X X X X X 1 2

| CODE             | WIDTH          | HEIC     |
|------------------|----------------|----------|
| HDS-RTS-24322212 |                | 24" (609 |
| HDS-RTS-30322212 |                | 24" (609 |
| HDS-ERS-24472212 |                | 24" (609 |
| HDS-ERS-30472212 |                | 24" (609 |
| HDS-FRS-24472212 |                | 24" (609 |
| HDS-FRS-30472212 |                | 24" (609 |
|                  |                |          |
| HDS-RTS-24322212 | 48" (1219.2mm) | 45" (114 |

| HDS-RTS- | 24322212 | 48" (1219.2mm) | 45" (114 |
|----------|----------|----------------|----------|
| HDS-RTS- | 24322212 | 60" (1524mm)   | 45" (114 |
| HDS-RTS- | 24322212 | 72" (1828.8mm) | 45" (114 |

# В MOBILE OFFICE DIVIDER

Obi Mobile office dividers are the Ruggedly built, totally mobile and 'nestable', OBI Office Dividers feature perfect way to instantly transform ezoBord acoustical surface materials and are available in a variety of any space into places where people visually interesting patterns. OBI office dividers are also available with meet collaborate, share and learn. magnetic rewriteable surface options and shelf and file storage options making them perfect for mutli task/meeting environments








SUGGESTED CONFIGURATIONS









CODE O B 2 - F I L - 151412




EZO: PLAIN EZO BOTH SIDES **PLW:** PLAIN ONE SIDE WHITEBOARD OTHER SIDE

| CODE             | WIDTH            | HEIGHT | THICKNESS   | COLORS | PRICE          |
|------------------|------------------|--------|-------------|--------|----------------|
| OB2-EZO-486012   | 48"              | 60"    | 12mm (1/2") | 15     | \$ <b>2925</b> |
| OB2-PLW-486012   | 48"              | 60"    | 12mm (1/2") | 15     | \$3050         |
| OB2-EZO-487212   | 48"              | 72"    | 12mm (1/2") | 15     | \$ <b>2975</b> |
| OB2-PLW-487212   | 48"              | 72"    | 12mm (1/2") | 15     | \$ 3175        |
| OPTIONAL PATTERN | 15               |        |             |        | \$875          |
| OB2-SHF-470812   | Whiteboard Shelf |        |             |        | \$ 375         |

| CODE            | WIDTH                  | HEIGHT | THICKNESS   | COLORS | PRICE          |
|-----------------|------------------------|--------|-------------|--------|----------------|
| OB2-EZO-486012  | 48"                    | 60"    | 12mm (1/2") | 15     | \$ <b>2925</b> |
| OB2-PLW-486012  | 48"                    | 60"    | 12mm (1/2") | 15     | \$3050         |
| OB2-EZO-487212  | 48"                    | 72"    | 12mm (1/2") | 15     | \$ <b>2975</b> |
| OB2-PLW-487212  | 48"                    | 72"    | 12mm (1/2") | 15     | \$ 3175        |
|                 |                        |        |             |        |                |
| OPTIONAL PATTER | RNS                    |        |             |        | \$ <b>875</b>  |
| OB2-SHF-470812  | Whiteboard Shelf       |        |             |        | \$ 375         |
| OB2-FIL-151412  | Whiteboard File Holder |        |             |        | \$ <b>325</b>  |


#### **OPTIONAL PATTERNS**





CODE **SLT** 

STAGGERED CODE **STG** 



# SUSPENDED OFFICE


There really isn't a "one size fits all" solution, privacy encompasses many different needs and behaviors, each form of privacy – acoustical, **CONFIGURATION OPTIONS** informational or visual, helps people to feel free, to share ideas and to make work visible.


Designed in collaboration with B2Lab, Suspended Office is an ecosystem of spaces that re-define the privacy of the work area and shape collaborative work.

SINGLE MODULE


CODE SIG

Featuring Ezobord acoustical surface materials in a variety of visually interesting patterns, colours, and configurations that perfectly balance design and functionality.






DOUBLE MODULE CODE DBL




CODE **ELL** 

п ٥Ï 




"L" SHAPE

### **OPTIONAL PATTERNS**




CHEVRON CODE CHE




CODE REC










CIRCLES CODE PXC



| CODE          | WIDTH | LENGTH | COLORS | PRICE           |
|---------------|-------|--------|--------|-----------------|
| SUS-SIG-4896  | 48"   | 96"    | 15     | \$ <b>9975</b>  |
| SUS-DBL-9696  | 96"   | 96"    | 15     | \$ <b>20500</b> |
| SUS-ELL-96144 | 96"   | 744"   | 15     | \$ <b>16750</b> |

#### **SLIDING TRACK ADD-ON**

| SUS-SLI-4896 | \$ 3300 |
|--------------|---------|
| SUS-SLI-9696 | \$ 4500 |

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

Hardware not included. Options listed in hardware guide pages 46-47 CODE SUS-XXX-XXX

CONFIG

PRODUCT

WIDTH | LENGTH

# HARDWARE GUIDE



0

Ø

 $\bigcirc$ 

| <b>EZO TAPE</b> <i>sold Individually</i><br>Specially formulated permanent double sided tape for vertical wall application. No<br>on all types of surface finishes. Available in three widths at 164' (50m) length rolls                      | ot for use                 |
|---|----------------------------|
| DST-010 1"<br>DST-015 1.5"<br>DST-020 2"  | \$ 140<br>\$ 211<br>\$ 279 |
| <b>1" STAND OFF / STO-25</b> sold Individually<br>13mm (1/2") Diameter, 25mm (1") Depth.<br>For wall application only. Intended for use with 9mm (3/8") - 12mm (1/2") material.   | \$25                       |
| <b>2" STAND OFF / STO-50</b> <i>sold Individually</i><br>1" Diameter, 50mm Depth.<br>For wall application only. Intended for use with 9mm (3/8") - 24mm (1") material.  | \$33                       |
| <b>UPPER SUSPENSION HOUSING / CF6-01</b> <i>sold Individually</i><br>Ceiling fitting to be used with mechanical fastener.<br>Includes 13'-1 1/2" (4m) of cable. Brass Locator accepts #8 Screws, not included.                                | \$38                       |
| <b>LOWER SUSPENSION HOUSING / CF6-02</b> <i>sold Individually</i><br>For use with Wire Suspension Track. Includes 13'-1 1/2" (4m) of wire.<br>Not intended for ceiling suspension applications.   | \$ 50                      |
| WIRE SUSPENSION TRACK sold Individually<br>To be used with Upper and/or Lower Suspension Housing.<br>Specify brass slot nuts for housing attachments. Available in two lengths:<br>XC-04-1000 39" (1000mm)<br>XC-04-2000 80" (2036mm)         | \$112<br>\$248             |
| ADJUSTABLE COMBINATION CLAMP / CBG-C Sold Individually<br>Compatible with Upper and Lower Suspension Housing.<br>Intended for use with 9mm (3/8") and 12mm (1/2") material. Specify<br>placement on material for use with larger thicknesses. | \$50                       |
| <b>DOUBLE EZO CLAMP / CVD</b> <i>Sold Individually</i><br>Clamp intended to connect two 9mm (3/8") pieces of material. Specify placement<br>material for use with alternate thicknesses.  | \$ <b>38</b><br>on         |
| <b>LOOPING CABLE GRIPPER / CG7250</b> <i>sold Individually</i><br>Adjustable wire looping system. Compatible with Upper<br>Suspension Housing or Eye Hook application.  | \$ 31                      |
| CABLE<br>1/16" wire. Compatible with all ezoBord hardware options.<br>Spools of 250' (76m)<br>Spools of 100' (30.48m)   | \$187<br>\$94              |
| <b>EYE HOOK / EY001</b> sold in Packages of 50<br>For use with individually suspended baffles.<br>Not recommended for ceiling application.  | \$56                       |
| <b>ALUMINIUM J TRIM / FR3138</b> <i>sold in 8' lengths</i><br>For use with 9mm (3/8") material only.<br>Available in lengths up to 8'. Minimum order requirements may apply.  | \$ <b>14</b> /ft           |



G

. • •

| <b>PJ 15/17 UNDER MOUNT MODESTY BRACKET</b><br>Compatible with 12mm and 18mm material   | \$34                                   |
|---|--|
| <b>T-BAR CLIP W/ RIVETS</b><br>Compatible with standard 15/16" t-grid systems   | \$7                                    |
| EZO STANDOFF  |  |
| ezoBord Standoff 4' length (for wall applications only)<br>12mm   | s15                                    |
| 18mm  | \$21                                   |
| 24mm<br>48mm  | \$24<br>\$46                           |
| FREE RUNNING SYSTEM   |  |
| Sliding track system for full sheets or work zone dividers.<br>Wall application requires Wall Mount Brackets.   |  |
| Available with 9mm (3/8") material only.  |  |
| TRK-396-WHT<br>TRK-296-WHT  | \$ <b>199</b> /FT<br>\$ <b>194</b> /FT |
| COMPLETE SUSPENSION KIT / K-WZDC Sold Individually  | \$ <b>598</b>                          |
| For use with Work Zone Dividers. Ezo on ezo.<br>Includes:   |  |
| 2x Wire Suspension Track (39")  |  |
| 2x Upper Suspension Housing   |  |
| 2x Lower Suspension Housing<br>4x Adjustable Combination Clamp  |  |
| UPPER SUSPENSION KIT / K-WZDU sold Individually<br>For use with Work Zone Dividers. Ezo on ezo.   | \$287                                  |
| Includes:<br>Ix Wire Suspension Track   |  |
| 2x Upper Suspension Housing   |  |
| 2x Adjustable Combination Clamp   |  |
| FOUR WAY SUSPENSION COUPLER / GR-1/4-20 Sold Individually<br>For use with Circle Geo Clouds only.<br>Includes:  | \$ <b>174</b>                          |
| 1x Four Hole Suspension Unit  |  |
| 1x 120" (3048mm) Cable<br>4x Looping Cable Gripper  |  |
|   |  |
| SURFACE MOUNT DESK SCREEN BRACKET / PJ3 Sold Individually<br>Compatible with material 12mm, or 18mm thick.  | \$38                                   |
| <b>SURFACE MOUNT DESK SCREEN BRACKET LARGE / PJ9</b> Sold Individually<br>Compatible with material 12mm, 18mm or 24mm thick.  | \$41                                   |
| <b>UNDER MOUNT DESK SCREEN DIVIDER BRACKET / PJ101</b> <i>sold Individually</i><br>Compatible with material 12mm or 18mm thick.<br>Surface thickness limited to 1" - 1 1/4" | \$44                                   |
| <b>UNDER MOUNT DESK SCREEN BRACKET / PJ4</b><br>Compatible with material 12mm or 18mm thick.<br>Surface thickness limited to 1" - 1 1/4"                                    | \$ <b>44</b>                           |



#### **BACK TO INDEX**

# **SPECIFICATIONS**

#### **COMPOSITION**

100% Polyester (min 50% (+/-) recycled PET fibrer.

#### THICKNESS

Available in two thicknesses: 9mm (3/8") 12mm (1/2")

#### WEIGHT

9mm (3/8"): 8.5 lbs (+/- 5%) 12mm (1/2"): 16 lbs (+/- 5%)

#### **STIFFNESS**

70 (Shore Durometer) minimeter

#### DIMENSIONS

9mm (3/8"): 48" (1206.5mm) x 96" (2413mm) (+/- 1mm) standard sizing. 12mm (1/2"): 48" (1206.5mm) x 108" (2717.8mm) (+/- 1mm) standard sizing.

#### FIRE TESTING

COLOURS 9 mm

ASTM E-84 Class A / CAN ULC S102-10.

#### **ENVIRONMENT**

Made with recycled polyester fiber, 50% +/- of which comes from recycled water bottles which contributes to LEED MR credit of Recycled content. Free of adhesives and formaldehyde. VOC free.

#### **ACOUSTICS**

Refer to ASTM C423 test chart for specific absorption rates/frequency. 9mm (3/8"): ASTM C423/D: NRC = 0.75; ASTM C423/A: NRC = 0.35 12mm (1/2"): ASTM C423/D: NRC = 0.85; ASTM C423/A: NRC = 0.45

#### **PRODUCT VARIANCES**


Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.


#### GENERAL


Tackable, impact resistant, bacteria resistant, moisture resistant, installation friendly.



#### **EDGE OPTIONS**











Hardware not included. Options listed in hardware guide pages 46-47

Please contact your local sales representative for more information. Note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

48

#### STRAIGHT EDGE

### CONDITION OF SALE, RETURN POLICY & WARRANTY FOR AYRSONICS INC.

#### DEFINITIONS

"Purchaser" refers to the organization or person who accepts a quotation or offer for the sale of "Goods" from the Seller.

"Seller" refers to [AYRSONICS HEAD OFFICE - 825 TRILLIUM DRIVE, KITCHENER, ONTARIO]

"Goods" or "Products" refers to the articles to be supplied to the Purchaser by the AYRSONICS. All "Products" are made-to-order, with the exception of raw materials such as sheets and hardware.

"Ouotation" or "Ouote" is the calculated cost on requested products based on specifications provided by the Purchaser to AYRSONICS.

"Order" refers to a purchase order, a blanket purchase agreement, a blanket purchase order, a job or work order, or other mechanism for ordering Products.

"Shop Drawings" refer to a set of drawings produced by AYRSONICS to depict Preliminary, Quote-Level, Proposal, Sign-off, Manufacturing, and Installation details pertinent to the successful completion of a project. All drawings are submitted to the Purchaser by AYRSONICS.

"Design Partner" refers to any organization or person who may make a significant contribution to the intellectual direction of a research proposal or a research project.

"Project" shall mean the research activities necessary to achieve a research, development, and /or formation, objective of a design proposal, or design idea. The deliverables of which address a technical or functional ability.

"Background Intellectual Property" refers to any and all intellectual property conceived, developed, made or acquired by AYRSONICS prior to the collaboration of a Project. with a Design Partner or Purchaser.

#### **GOVERNING PROVISIONS:**

These Terms and Conditions govern any Quotation, Order Acknowledgment, Invoice, or any agreement, order, or sale that may result from any contract, and is expressly limited to and made conditional upon these Terms and Conditions becoming part of the Agreement between the Purchaser and the Seller [AYRSONICS]. Any variation to these Terms and Conditions contained herein, whether contained in a request for Quotation, Purchase Order, or other document by the Purchaser Including any special Terms and Conditions agreed upon between the parties are hereby objected to and shall be inapplicable unless agreed to in writing by AYRSONICS.

#### **SALES OUOTE INFORMATION:**

Acceptance of the quotation by the Purchaser constitutes a binding agreement. Prices quoted by AYRSONICS are based on standard ezoBord products as detailed in the Price and Product Guide and on information provided by the Purchaser. Any changes to standard ezoBord products including but not limited to size or pattern. will be classified as a "custom" product. Pricing of custom

products is based on specifications provided by Purchaser and will be priced at the discretion of AYRSONICS.

Additional charges may apply where the scope of work varies from that set out in the quote. Prices are prepared in Canadian dollars. Delivery and taxes may be subject to change and are based on point of transfer. AYRSONICS does not provide quotes for installation. Quotes are valid for a period of 30 days, after which pricing may change. Possession of the ezoBord Price List or any other literature shall not imply AYRSONICS willingness to sell to the holders and shall not be constructed as a direct offer of sale. AYRSONICS reserves the right to make changes at any time and without prior notice to prices, colours, materials, specifications, design, and models offered in the price list, as well as discontinue product at any time without prior notice.

#### **ORDER INFORMATION:**

AYRSONICS requires that all orders be submitted in writing. All orders which require fabrication shall include detailed shop drawings. Once all specifics (size. thickness, pattern, colour etc.) have been confirmed, the Purchaser will receive an Order Acknowledgment which will outline items ordered, pricing, ship-to and billto details. Orders with missing, or incorrect information may delay lead times. A production date cannot be established until Purchaser has provided all related information and documents, such as deposit payments, and signed shop drawings pertaining to the order. If the Purchaser does not agree with any details outlined in the Order Acknowledgment, AYRSONICS must be notified by email within three business days of receiving the Order Acknowledgment. All orders are subject to a minimum net charge of \$250.

#### SHOP DRAWINGS:

If the purchase order requires shop drawings, AYRSONICS shall coordinate all such drawings, will review them for accuracy, completeness, and compliance with purchase order requirements. Sign-off by Purchaser constitutes acceptance of all technical details depicted in the drawings; including all dimensions, colours, patterns, quantities, and design criteria. Sign-off is a requirement for the initiation of AYRSONICS fabrication. Information contained in the Shop Drawings are the sole property of AYRSONICS. Any reproduction in part or as a whole without the written permission of AYRSONICS is prohibited.

#### **RESEARCH. DEVELOPMENT. RESULTS. AND INTELLECTUAL PROPERTY:**

The Purchaser and/or Design Partner agrees that any design proposal, shop drawing, or rendering, including but not limited to, specifications, formulae, improvements, processes, methods, techniques, prototypes, data,

reports, or discoveries, contains proprietary information **RETURNS, CLAIMS, AND INQUIRIES:** and material is owned by AYRSONICS and is protected by applicable intellectual property legislation. The Purchaser and/or Design Partner may not use the Intellectual in a written agreement between AYRSONICS and the Purchaser.

Purchaser and/or Design Partner before any research project is initiated. Purchaser and/or Design Partner agrees any Design Proposals or Research Project Design intent, preliminary design, or design development shall be performed by, in collaboration with, or under the direct supervision of AYRSONICS. All written and oral information and material disclosed or provided by AYRSONICS to the Purchaser is confidential information. The Purchaser shall use all reasonable endeavors not to disclose to any third party any Confidential Information nor use for any purpose except expressly permitted by AYRSONICS. Purchaser may be required to sign a Nondisclosure Agreement. All Background Intellectual **PRICE AND PAYMENT:** Property used in connection with the Project shall remain the property of AYRSONICS. AYRSONICS has the right to reuse methods and approaches developed under this agreement in other projects for other purposes.

#### **PRINT PROGRAM:**

A digital proof sign-off is required prior to manufacturing. Sign-off by Purchaser constitutes acceptance of all technical details depicted in the digital proof. A digital proof does not guarantee correct colour matching. Physical proof must be requested by Purchaser to verify final colour of product as there may be a variation between the digital proof and printed product. AYRSONICS shall not be liable for any deviations, errors, and faults that remained unnoticed in the proofs that were approved by the Purchaser or for any spelling or grammatical errors in the graphic file provided by the Purchaser.

#### **CHANGES AND CANCELLATIONS:**

After AYRSONICS acknowledgment of a Purchaser's Purchaser on terms shall pay invoices within 15 days order, the order may not be changed or canceled by after the date of shipment or pickup, subject to the Purchaser without the written consent of AYRSONICS. Purchaser passing credit approval. All payments are Orders already in production may not be eligible for fully due. Purchaser agrees not to withhold payment cancellation or change or may be subject to a cancellation on any invoice because of partial delivery or open punch fee, restocking fee, and payment for all product which has list items. If payment is not received by the due date, been cut, at the discretion of AYRSONICS management. interest will accrue on all unpaid amounts at the rate If the order requires major changes, the order may be of 1.5 % per month. Custom orders may be subject to a sent back to the quoting department for new pricing. 50% deposit. Maximum account Credit limit is \$50.000. [Major changes may include but are not limited to the unless otherwise authorized in writing by AYRSONICS. addition of new items, dimension, pattern, and design Accounts with an overdue balance in excess of 15 days feature changes]. Sheet order changes after payment may be subject to having their terms revoked. All claims may be subject to a cancellation or a change order fee of arising from invoices must reach AYRSONICS within five 25%. AYRSONICS reserves the right to cancel an order at (5) business days from the date of the invoice. anv time.

All return requests are handled by AYRSONICS authorized dealers or AYRSONICS Customer Service Department. All return requests must be submitted within 30 days from Property for any purpose other than that contracted date of receipt. No returns of goods will be accepted without consent and shipping instructions from AYRSONICS. If authorized, Purchaser must complete A written collaboration agreement shall be signed by the AYRSONICS Product Return Request Form and ship all product to AYRSONICS within one week of receiving the Product Return Request Form. All authorized return of goods must be securely packaged by the Purchaser in order to reach AYRSONICS without damage. A minimum restocking charge of 50% on fabricated products, is made on all authorized returns for credit or refund, provided goods are received by AYRSONICS in the condition in which they left the factory. Raw materials such as sheets and hardware are subject to a minimum 25% restocking fee. No credit will be given if goods cannot be reused. Custom order items are in no event subject to return.

All published prices are list prices. Prices on an Order Acknowledgment are net. Any products sold is the property of AYRSONICS and shall remain AYRSONICS property until fully paid. The Purchaser agrees to perform all acts which may be necessary to assure retention of title to such products to AYRSONICS, until such time as the goods have been paid for in full. Invoices will be sent by AYRSONICS to the Purchaser and will be as detailed in the Order Acknowledgment and in accordance with the agreed schedule in the Order Acknowledgment. Not included in the list price is special or export packing, freight, unpacking or installation. A 50% deposit amount against the total amount of the project, is required for Cash in Advance Purchasers, prior to scheduling production. The 50% final payment must be received by AYRSONICS prior to shipping. Sheet orders require a 100% deposit for Cash in Advance Purchasers.

#### N15 TERMS:

#### SUSPENSION:

In the event that the Purchaser defaults in the payments of any sum due to AYRSONICS, or in the event that the Purchaser's financial condition becomes unsatisfactory to AYRSONICS. AYRSONICS shall have the right, upon notice to the Purchaser, to suspend or discontinue shipment of any Goods until payment has been remitted without incurring any liability to the Purchaser for nondelivery or delay in delivery.

Cash payment or security satisfactory to AYRSONICS may be required by AYRSONICS for future deliveries. AYRSONICS may require cash payments in advance for future deliveries, or may terminate any contract in total. and the Purchaser shall be liable for all costs incurred by AYRSONICS including but not limited to, attorney fees, collection agency fees, accrued interest, and administrative fees.

#### TAXES:

Prices are in the currency indicated on the AYRSONICS Order Acknowledgment. The prices shown in the ezoBord price list do not include any provincial, or federal, or local taxes. All such taxes applicable to the sale of the products our products through authorized dealers, directly from are the responsibility of the Purchaser and any tax or taxes will be added to the invoice as a separate charge to be paid by the Purchaser. If the Purchaser claims an exemption from any tax, the Purchaser shall submit to **SHIPPING:** the Seller the appropriate exemption certificates.

#### **CODE RESTRICTION:**

All ezoBord products may be subject to fire and/or building codes applicable to the specific purpose they are being purchased for. However, since codes may vary from area to area, the Purchaser is solely responsible for the proper application of the purchased ezoBord items within the limitation of such codes.

#### **TOLERANCES:**

All dimensions must be limited by a specified tolerance. When not specified it is understood that AYRSONICS normal tolerances and standards shall apply. Dimensions in the ezoBord price list are shown in both inches and mm. The metric dimensions are the more accurate. that is, imperial dimensions may be rounded up or down. When Purchaser has submitted own plans and/ or specifications. AYRSONICS will not be responsible for the design and fitting of parts. The conforming of AYRSONICS products to

the specified tolerance is sufficient evidence as to the correctness of the product. Standards of finish, quality, and appearance shall, unless specified in writing, be the normal standards of AYRSONICS.

#### LIMITED WARRANTY:

AYRSONICS warrants the construction and the finish of all our products to be free from defects in materials, and

workmanship for a period of one (1) year from the date of purchase. This warranty does not apply to components not manufactured by AYRSONICS which are subject to the specific warranties of those manufacturers, if any.

AYRSONICS cannot be held responsible for variations in dye lot from order to order. All ezoBord sheet goods are subject to a reasonable degree of variation in colour and material thickness. This possibility should be expected by the Purchaser. Repair or replacement of any defective component covered by the AYRSONICS warranty will be made at no charge to the original Purchaser during the warranty period. Labor required to facilitate the repair or replacement will be the responsibility of the original selling dealer. This warranty policy does not apply to defects resulting from negligence, misuse, alteration, improper cleaning, stains, or accidents. AYRSONICS judgment will be final in all matters concerning the condition of the products, the cause or nature of the defect, and the necessity or manner of repair.

This warranty applies to products sold in Canada only, and is made only to the original Purchasers acquiring AYRSONICS, or from other specifically authorized to sell our products.

At time of order entry, Purchaser must select one of two methods of freight payment.

1.Ex Works - point of shipment, freight collect

2.Freight On Board (F.O.B)

Unless otherwise agreed upon in writing, delivery of the Goods shall take place at the address specified by the Purchaser on the date specified by AYRSONICS. The Purchaser shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery. The date of shipment specified by AYRSONICS is an estimate only. Time for delivery shall not be of the essence of the contract. If AYRSONICS is unable to ship the Goods for reasons beyond its control, then AYRSONICS shall be entitled to place the Goods in storage until such a time as delivery may be effective.

#### **RISK. TITLE. AND FREIGHT CLAIMS:**

If Goods are sold via Ex Works, the Purchaser incurs all transport costs. AYRSONICS is not responsible for damage which may occur in transit or in storage.

The carrier signs for all goods received and it is the Purchasers responsibility to examine goods upon receipt and to file any claims for any concealed damage to the products in accordance with the carrier's terms and conditions, within five (5) days of delivery. All packaging should be retained for inspection by the carrier. Failure by the Purchaser to make any claim against AYRSONICS within five (5) days shall constitute acceptance of the

goods and a waiver of the right to return due to defects. days after payment has been received in full.

errors or shortages. •Standard products: 4-5 weeks upon approval of shop If Purchaser chooses to have AYRSONICS arrange for drawings and deposit payments being received. shipping, the Goods are F.O.B, and FREIGHT is added to •Custom products: 4-6 weeks upon approval of shop the order/invoice as a separate line item. AYRSONICS will drawings and deposit payments being received. ship the Products using their preferred freight carrier. •Printing: 6-8 weeks upon approved shop drawings and Risk of loss or damage to the Products shall transfer deposit payments being received. ·Shop Drawings: Are allotted 3 business days for to the Purchaser from the time of delivery or deemed delivery. The Purchaser shall be entitled to replacement completion. Custom products may require additional time. Large orders may be subject to staggered delivery Goods where the Goods have been damaged during transportation. The Purchaser must notify AYRSONICS dates and lead times. within 24 hours of receipt of Goods. Packing slip must be signed off as "received as damaged at the time of receipt" **DELAYS**: by the Purchaser Ownership/ title of the Products shall AYRSONICS Order Acknowledgment will state a shipping not pass to the Purchaser until AYRSONICS has received date which is AYRSONICS best estimate at the time the payment in full for all the Products and all other sums order is acknowledged. However, AYRSONICS shall not due to AYRSONICS from the Purchaser on any account. incur any obligation or liability to Purchaser for failure to In the event that AYRSONICS does not receive payment, arrive by a specified date. AYRSONICS reserves the right to reclaim all delivered FORCE MAJEURE: Goods.

AYRSONICS shall not be under any liability for any failure **METHODS OF SHIPPING AND ROUTING:** to supply goods or otherwise to perform the contract AYRSONICS reserves the right to select the method of from any cause whatsoever beyond AYRSONICS direct transportation and carrier of choice for any shipment. control. AYRSONICS shall not be liable for any loss or If product is shipped to the Purchaser's or dealers dock, damage resulting from any delay or failure in shipment or order failure to perform all or any part of the agreement such docking facilities shall be equipped to handle a 53' tractor trailer with appropriate personnel to off-load the between the parties with respect to the goods shown on the order acknowledgment where such delay, truck. Neither AYRSONICS nor the carrier is responsible for offloading the truck. Product that cannot be delivered failure, loss, or damage is the proximate result of any as above may be delivered to a warehouse, with redelivery act of any government authority or political subdivision at Purchaser's expense. thereof, revolution, riot, civil disorder or disturbance, If requested shipping date is more than 90 days from act of enemies, delay or default in transportation, strike the date of order, AYRSONICS shall have the right to use disputes among or between labor unions or other labor the published list price effective at the time of shipment. disputes, delay or inability in obtaining material and After 30 days the order may be subject to storage fees. facilities, fire, flood, act of God or any cause not within AYRSONICS will not accept charges for expense incurred reasonable control of the company, whether of the class by the Purchaser in expediting shipments. AYRSONICS of causes enumerated or otherwise. Without limiting the will not accept charges for the repair of damage by others. generality of the foregoing. AYRSONICS may, without causing breach or incurring liability, allocate goods which **STORAGE:** are in short supply, irrespective of the reasons therefore, among Purchasers, in any manner which AYRSONICS, in In the event the Purchaser requests postponement of delivery beyond the scheduled shipping date after the its sole discretion. deems advisable.

Goods have become work in progress, or at the time when AYRSONICS is about to make shipment, AYRSONICS may transfer the Goods to storage for Purchaser's account and at Purchaser's risk and expense. Such transfer to storage shall be deemed delivery to Purchaser for all purposes, including invoicing and payment. After 30 days, the Purchaser may be subject to a minimum of \$50/month or \$1.50/square foot/month in storage fees.

#### **LEAD TIMES:**

Lead times are as follows: •Raw materials such as sheets and hardware: 3-4 business

# ezoBord

### Ayrsonics Design Driven Acoustics

### CANADA

### **Ayrsonics Inc - Ontario**

825 Trillium Drive Kitchener, Ontario N2R 1J9 P: 1-844-441-1122 sales@ayrsonics.com

### Ayrsonics Inc - Alberta

#9112 – 52nd St. S.E. Calgary, Alberta T2C 5A9 P: 1-844-441-1122 sales@ayrsonics.com

### **UNITED STATES**

### **Ayrsonics Mid West LLC**

170 Prairie Lake Rd East Dundee, IL 60118 P: 1-800-517-0686 sales@mw.ayrsonics.com

#### **Ayrsonics New England**

32 Hampshire Rd Salem, NH 03079 P: 603-824-9338 ext. 3001 P: 603-327-4349 sales@ne.ayrsonics.com

#### **Ayrsonics Southwest**

1700 1st Street San Fernando, CA 91340 P: 213-833-9700 sales@sw.ayrsonics.com

#### ezoBord Head Office

6845 Rexwood Road, Unit 7 Mississauga, ON L4V 1S5 Canada FAX +1 416 665 3571 info@ezobord.com

FOLLOW US

ezobord.com