


EzoBord impact resistant Panels and sheets are the new Bring color and texture into educational and office evolution in tackboard, enhancing speech intelligibility to make every classroom and office a better place to learn impact resistance tackable surface and great acoustical and work in.

Lightweight EzoBord Tac Panels are the new evolution tackboard for any and all educational spaces.


areas that work double duty - providing both a high absorption. Unlike conventional cork tack boards, EzoBord Tac Panels require no metal edge treatments, never have to be painted and can be easily cut to any size and shape right on site.

Specifications



WIDTH	HEIGHT	THICKNESS
95" 2413mm	48" 1207mm	3/8" 9mm
107" 2718mm	48" 1207mm	1/2" 12mm

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.



COMPOSITION

100% PET (min. 50% recycled content)

PRODUCT VARIANCES

Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

CLEANING

Remove dust and dirt with a stiff plastic bristle brush. Distilled water can be used to remove stains. Always use a soft, clean cloth and blot dry. Vacuuming works great as well.

FIRE TESTING

NORTH AMERICA:

- ASTM E-84 Class A*
- CAN ULC S102-10

EUROPE AND UK:

- EN13501-1: 2007
- * Upon request, 1/2"(12mm) sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant

ACOUSTICS

Refer to ASTM C423 test chart for specific absorption rates/frequency.

- 3/8" 9mm: 0.30 0.75 NRC
- 1/2" 12mm: 0.40 0.80 NRC

(subject to mounting conditions)

ENVIRONMENT

Made of polyester fiber, min. 50% of which comes from recycled water bottles which contributes to LEED MR Credit and BREEAM Health and Wellbeing, Materials points due to recycled content, acoustic performance, and low emitting materials. No VOC's: CDPH v1.2 and REACH SVHC Compliant.

USGBC LEED V4 CREDITS


While individual products do not 'earn' LEED credits, EzoBord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQc9 for enhancing acoustic performance
- MRc3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).

3/8" 9mm 3/8" 9mm моинт метнор: D50 Mount Wall Panel моинт метнор: Direct Mount SOUND ABSORPTION COEFFICIENTS SOUND ABSORPTION COEFFICIENTS ASTM C423-17 ASTM C423-17 NRC SAA 125 250 500 1000 2000 4000 0.40 NRC:0.30 NRC:0.75 80 100 125 160 250 315 630 800 1000 1000 1250 1600 2000 2000 2000 4000 FREOUENCY (Hz) FREOUENCY (Hz) 1/2" 12mm 1/2" 12mm моинт метнор: Direct Mount моинт метнор: D50 Mount Wall Panel SOUND ABSORPTION COEFFICIENTS SOUND ABSORPTION COEFFICIENTS ASTM C423-17 ASTM C423-17 SAA 125 250 500 1000 2000 4000 250 500 1000 2000 4000 NRC:0.40 NRC:0.80

FREOUENCY (Hz)

FREOUENCY (Hz)



COLORS & FINISHES

EZOBORD BASE MATERIAL OPTIONAL SURFACE EZOLAYERS OPTIONAL SURFACE EZOPRINT

EZOBORD BASE COLORS





OPTIONAL SURFACE FINISHES

EZOLAYERS




EZOFELT GRADE 2 MELANGE



EZOPRINT

BASE MATERIAL







CUSTOM EZOPRINT

* EZOPRINT finishes can be applied over EZOBORD Light Beige, Desert Sand, Classic White, Polar Ice base colors.

Environment

Our Commitment to the Environment

There are approximately 50 billion water bottles consumed around the world each year, and only about half of those get recycled. The rest end up in landfills, littered through our neighborhoods, or floating in our oceans.

Bottled water consumption has more than doubled since 2000; in 2015 there was the equivalent of more than 5 bottles of water consumed for every person in the USA every single week. This, of course, means that the amount of oil required to produce the energy used

In 2007, the last year global statistics of oil consumption were available, between 32 million and 54 million barrels of oil were used to produce the bottled water that was consumed in the USA alone. This energy is used to make the bottles from PET pellets (1 million tons in the USA), treat water, bottle the water, label the bottles, and transport the bottled water. Most of the energy consumption occurs in the creation of the bottles themselves. To help in the lifecycle of this plastic product, we have chosen to manufacture our material so that it recycles these PET bottles. We are doing our part to reduce the waste. This acoustical and tackable material is made from PET bottles in a zero-waste process with postindustrial recycling. An environmentally friendly, sustainable, and waste reduced alternative to traditional acoustical/ tackable material that looks great in any office, education, or open space installation.

EzoBord is




• low VOC

DID YOU KNOW...




For every pound of recycled PET bottles (approximately 23) energy use is reduced by 84% and greenhouse gas emissions

PET BOTTLES



- **± 166** pet bottles are used to make one 3/8" 9mm thick EzoBord sheet.
- **± 318** pet bottles are used to make one





CANADA

Ayrsonics Inc - Ontario

825 Trillium Drive Kitchener, Ontario N2R 1J9 844-441-1122 sales@ayrsonics.com

Ayrsonics Inc - Alberta

292236 Nose Creek Boulevard Building 1B, Unit #19 Rocky View County, AB T4A 3N7 844-441-1122 sales@ayrsonics.com

EzoBord Corporate Office

6845 Rexwood Road, Unit 7 Mississauga, ON L4V 1S5 416-665-3571 info@ezobord.com

UNITED STATES

Ayrsonics Midwest LLC

820 Tollgate Road Elgin, IL 60123 800-517-0686 sales.amw@ayrsonicsusa.com

Ayrsonics Southwest LLC

13430 N Dysart Rd. Suite 120 Surprise, AZ 85379 213-833-9700 sales.asw@ayrsonicsusa.com

Ayrsonics Southeast LLC

15 Enterprise Way
Dahlonega, GA 30533
706-539-4711
sales.ase@ayrsonicsusa.com

UNITED KINGDOM

EzoBord UK Limited

Unit 20, Westwood Business Park Margate, Kent. CT9 4JJ +44 1843-264027 sales@ezobord.co.uk

IRELAND

EzoBord Ireland Limited

Inniscarra, Main Street,
Rathcoole, Co. Dublin,
D24 EO29, Ireland
+353 1485-4774
sales@ezobord.ie

CENTRAL & LATIN AMERICA

EzoBord Costa Rica SRL

100 Sur 25 Oeste Recope Bodega #16 Ochomogo, Cartago +506 8842-4613 info-ebcr@ezobord.com

EzoBord - LATAM

Buenos Aires, Argentina +54 9 11 5657-1793 info-latam@ezobord.com







